



## CABLE SOCKS

Cable hauling socks (grips) are a great tool when hauling cable, they fit over the end of your cable and contract when pulling tension is applied to the eye.

Simply slip over your cable, tape around the end of the sock, and connect your cable and grip to the haul rope, being sure to have a rated swivel in between to prevent damaging the cable. **Note: Always check with the cable manufacturer for the maximum permissible tension allowed via a sock.**


There is a myriad of cable socks to suit different size cables and applications. Our most common socks for hauling is, a single eye, Galvanised Strand with an Alloy Ferrule. However, we also offer stainless or nonconductive and non-metallic weave material socks, socks with thimble and ones with copper and stainless Ferrules.

- Single Eye Cable Sock - used in most underground hauling applications.
- Double Eye Cable Sock - for suspension.
- Lace Up Cable Sock - used as an intermediate or assistant sock.


**Note:** Cable socks for overhead hauling are different to general purpose socks. These socks have a different weave and have a stronger rating. It is important to let us know if you are wanting a sock for overhead application.

We also have a range of Fibre Hauling Socks, and available upon request we can supply socks that are Open Both End, Light Duty, Heavy Duty, Double Eye Lace-up, Non – Conductive Cable socks and More!

**Please chat to us about your requirements and we'll recommend the best sock to suit your needs.**



Cable Sock Single Eye



Cable Sock Double Eye



# NCG CABLE SOCKS

## Single Eye Cable Sock

Galvanised Strand Alloy Ferrule



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
C1006	06 – 10	500	350
C1010	10 – 14	500	350
C1014	14 – 19	900	400
C1019	19 – 28	1500	500
C1028	28 – 40	2400	600
C1040	40 – 55	3500	800
C1055	55 – 75	6200	900
C1075	75 – 95	9800	1000
C1095	95 – 120	1330	1200
C1120	120 – 150	1870	1400
C1150	150 – 190	2830	1600

## Double Eye Cable Sock

Galvanised Strand Alloy Ferrule

*Made to Order*




PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
D1006	06 – 10	500	350
D1010	10 – 14	500	350
D1014	14 – 19	900	400
D1019	19 – 28	1500	500
D1028	28 – 40	2400	600
D1040	40 – 55	3500	800
D1055	55 – 75	6200	900
D1075	75 – 95	9800	1000
D1095	95 – 120	1330	1200
D1120	120 – 150	1870	1400
D1150	150 – 190	2830	1600

## Lace Up Cable Sock

Galvanised Strand Alloy Ferrule

*Made to Order*



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
S1014	14 – 19	900	500
S1019	19 – 28	1500	600
S1028	28 – 40	2400	800
S1040	40 – 55	3500	900
S1055	55 – 75	6200	1000
S1075	75 – 95	9800	1200
S1095	95 – 120	9800	1400
S1120	120 – 150	1410	1600
S1150	150 – 190	1410	1800



# NCG CABLE SOCKS

## Offset Cable Sock

Galvanised Strand Alloy Ferrule  
*Made to Order*



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
O1006	06 – 12	500	350
O1010	10 – 14	500	350
O1014	14 – 19	900	400
O1019	19 – 28	1500	500
O1028	28 – 40	2400	600
O1040	40 – 55	3500	800
O1055	55 – 75	6200	900
O1075	75 – 95	9800	1000
O1095	95 – 120	1330	1200
O1120	120 – 150	1870	1400
O1150	150 – 190	2830	1600

## Stainless Steel Single Eye

Stainless Steel Strand Copper Ferrule  
*Made to Order*



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
C5006	06 – 12	400	350
C5010	10 – 14	400	350
C5014	14 – 19	700	400
C5019	19 – 28	1200	500
C5028	28 – 40	1900	600
C5040	40 – 55	2700	800
C5055	55 – 75	4800	900
C5075	75 – 95	7900	1000
C5095	95 – 120	1050	1200
C5120	120 – 150	1470	1400
C5150	150 – 190	2250	1600

## Stainless Steel Double Eye

Stainless Steel Strand Copper Ferrule  
*Made to Order*



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
D5006	06 – 12	400	350
D5010	10 – 14	400	350
D5014	14 – 19	700	400
D5019	19 – 28	1200	500
D5028	28 – 40	1900	600
D5040	40 – 55	2700	800
D5055	55 – 75	4800	900
D5075	75 – 95	7900	1000
D5095	95 – 120	1050	1200
D5120	120 – 150	1470	1400
D5150	150 – 190	2250	1600



# SLINGCO CABLE SOCKS

## Single Eye Standard


Galvanised  
Made to Order



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
ZCS0320	6 – 13	250	305
ZCS0321	13 – 19	330	430
ZCS0322	19 – 25	840	510
ZCS0323	25 – 38	1180	610
ZCS0324	38 – 50	1680	735
ZCS0325	50 – 63	1680	865
ZCS0326	63 – 89	2000	990
ZCS0327	89 – 115	2360	990
ZCS0821	115 – 140	2360	990
ZCS3574	135 – 160	6660	1380
ZCS3575	160 – 190	6660	2000

## Double Eye Standard

Galvanised  
Made to Order



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
ZCS0305	6 – 13	250	305
ZCS0306	13 – 19	330	430
ZCS0307	19 – 25	840	510
ZCS0308	25 – 38	1180	610
ZCS0309	38 – 50	1680	735
ZCS0310	50 – 63	1680	865
ZCS0311	63 – 89	2000	990
ZCS0312	89 – 115	2350	990
ZCS0878	115 – 140	2350	990
ZCS3579	135 – 160	6660	1600
ZCS3580	161 – 190	8990	2100

## Lace Up Standard

Galvanised  
Made to Order



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
ZCS1157	6 – 13	250	305
ZCS0872	13 – 19	330	430
ZCS0871	19 – 25	840	510
ZCS0328	25 – 38	900	610
ZCS0329	38 – 50	1690	735
ZCS0330	50 – 63	1690	865
ZCS0331	63 – 89	2020	990
ZCS0853	89 – 115	2350	990
ZCS1109	115 – 140	2350	990
ZCS3584	135 – 160	5660	1600
ZCS3585	161 – 190	5660	2100





# CONDUX CABLE SOCKS

## Condux Junior Grip

Strong Galvanized Steel and Single Weave Mesh



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
08643210	05 – 06	181	
08643213*	06 – 09	204	250
08643216*	09 – 12	408	350
08643222*	13 – 15	589	
08643228*	16 – 19	884	500
08643231*	19 – 25	1270	540
08643237*	25 – 31	1769	560

### Junior Grip Kit

Contains items indicated with (\*) in chart above.

**Product Code 08643200**

## Condux Fibre Optic Grip

Flexible Eye, Low Profile, Double/Single Weave Mesh



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
08643753	03 – 06	408	444
08643754	05 – 09	635	546
08643755	08 – 12	907	699
08643756	11 – 15	1133	749
08643757	13 – 19	1360	800
08643758	16 – 22	1905	851
08643759	19 – 25	1905	927

## Condux Multiple Strength Grip – Flexible Eye

used for attaching conductors to pulling lines and double socking for conductor-to-conductor connection.

*Exported from USA*



PRODUCT CODE	SIZE (MM)	SWL (KGS)	LENGTH (MM)
08641913	06 – 12	3084	889
08641922	13 – 19	4535	1042
08641931	19 – 25	6531	1320
08641937	25 – 31	11158	1626
08641943	32 – 38	13879	1727
08641949	38 – 44	13879	1829
08641952	44 – 57	21772	2235
08641955	51 – 63	21772	1727
08641958	64 – 76	21772	1778
08641961	76 – 89	21772	1829
08641964	89 – 101	21772	1879



## CABLE SOCKS

**Also available:**

### **NCG CABLE SOCKS**

Thimble Cable Sock Options  
Copper Ferrule Options  
Lace Up Double Eye  
Non-Conductive Low Voltage/High Voltage  
Non-Conductive Kevlar Single Eye  
Heavy Duty Graded Weaves Multi Ply  
Light Duty Galvanised Strand  
Heavy Duty Galvanised Strand (Soft or Thimble Eye Options)  
Open Both Ends Galvanised/Stainless Steel  
Custom Grips – available on request.

### **SLINGCO CABLE SOCKS**

JR Light Duty Pulling Sock  
Fibre Optic Cable Sock  
Open Ended Cable Splicing Sock  
Non-Metallic Single Eye/Double Eye/Offset Eye  
Ultra-Flex Non Metallic Pulling Sock  
Marine Cable Socks – Single Eye/Double Eye/Offset Eye  
Heavy Duty Cable Sock  
Rotating Multi-Weave Cable  
Rotating Eye Double Weave Cable  
Single Eye Double Weave Cable  
Splicing Grips Rotating Swivel Link  
Splicing Socks Rotating Barrel

**Contact us for more information**